

**TOWNSHIP OF ORANGEVILLE
BARRY COUNTY, MICHIGAN
ORDINANCE NO. 0918-2**

ADOPTED: Sept 18, 2018

EFFECTIVE: January 1, 2019 through December 31, 2020

An ordinance to amend and revise the Orangeville Township Sewage Disposal System Ordinance to increase user fees and connection fees as set forth in Article V.

**TOWNSHIP OF ORANGEVILLE
BARRY COUNTY, MICHIGAN**

**ORDAINS:
SECTION I
USER FEES**

The first and fourth sentences of Article V, Section E of the Orangeville Township Sewage Disposal System Ordinance is amended to read as follows:

125.505 User fees.

(1st) Sec. E. The user charge to each single family residence within the Township for which sewer service is available shall be \$99.00 per quarter (\$33.00 per month).

(4th) Where metered flow is used as a basis for calculating the user charge, the user fee shall be \$4.25 per 1,000 gallons of flow.

**SECTION II
EFFECTIVE DATE AND REPEAL**

This Ordinance shall take effect January 1, 2019. All ordinances or parts of ordinances in conflict herewith are hereby repealed.

ORANGEVILLE TOWNSHIP
Mel Risner, Clerk
7350 Lindsey Road
Plainwell, MI 49080
269-664-4522

ORANGEVILLE TOWNSHIP
CERTIFICATE OF ADOPTION

I, Mel Risner, Clerk of the Township of Orangeville, Barry County, Michigan, do hereby certify that in pursuance of law and statute provided, at a special meeting of the Orangeville Township Board held on September 18, 2018, commencing at 7:00 o'clock p.m. at the Gun Lake Sewer and Water Authority Office, 12588 Marsh Rd., Shelbyville, MI 49344, at which the following members were present, the Board enacted and passed Ordinance No. 0918-2 to become effective on 30 days after publication, hereinbefore recorded, and that the members of said Board present at said meeting voted on the adoption of said Ordinance, as follows:

Thomas Rook—yes


Mel Risner—no

Michelle Ritchie—yes

Robert Perino—yes

Linda Ribble—no

Said Ordinance declared adopted by Supervisor, Thomas Rook



Mel Risner/Clerk
Orangeville Township

*GLASA to publish